

A 2013. január 1-jétől alkalmazandó új vagy módosítandó vámfelfüggesztések és vámkontingensek, illetve vámfelfüggesztések meghosszabbítása iránti kérelmek

1. Új kérelmek

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q *	Kérelmező **
15151910	328292/2012	Linseed oil for technical or industrial uses other than the manufacture of foodstuffs for human consumption	S	UK
15153090	284770/2012	Castor oil	S	DE
20089999	312338/2012	Vine leaves-parts of vegetables prepared by blanching and conserved in brine (salt-18%, citric acid 0.01%, Sodium Benzoate 0.05%)	S	HU
20092100	329513/2012	The non-concentrated juice of red, pink or white grapefruit of a 20 brix maximum for use in the manufacture of fruit juices, nectars and drinks	S	UK
20092999	329500/2012	The concentrated juice of red, pink or white grapefruit of 20-67 brix for use in the manufacture of fruit juices, nectars and drinks	S	UK
28051990	323514/2012	Lithium	S	FR
28129000	328244/2012	Trichloro (N,N -Dimethyloctylamine) Boron	S	UK
28251000	323355/2012	Hydroxylamine hydrochloride	S	FR
28256000	285068/2012	Zirconium dioxide	S	DE
28258000	326680/2012	Antimony trioxide	S	UK
28259085	276499/2012	Diniobium pentaoxide with a purity by weight of 99 % or more (CAS RN 1313-96-8	S	AT
28259085	276539/2012	Ditantalum pentaoxide with a purity by weight of 99 % or more (CAS RN 1314-61-0)	S	AT
28275100	327794/2012	Potassium bromide	S	UK
28311000	329552/2012	Sodium hydroxymethanesulfinate	S	UK
28342980	327919/2012	Dimethyl octadecyl hedroxy ethyl ammonium nitrate	S	UK
28352600	328041/2012	Hydroxylapatite (Ca5(OH)(PO4)3)	S	UK
28353900	327832/2012	Ammonium polyphosphate	S	UK
28500020	326697/2012	Sodium tetrahydroborate	S	UK
29049095	323492/2012	Chlorobenzenesulfonyl chloride	S	FR
29049095	327807/2012	Potassium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate	S	UK
29051900	287141/2012	Titanium tetraisopropoxide (CAS RN 546-68-9)	S	DE AT
29051900	287186/2012	Titanium tetrabutanolate (CAS RN 5593-70-4)	S	DE

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegnevezés	S/Q*	Kérelmező**
29062900	3284872012	2-phenylethanol	S	UK
29072200	320424/2012	Hydroquinone (CAS 123-31-9)	Q	NL
29081900	327762/2012	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	S	UK
29089900	318348/2012	4,5-dihydroxynaphthalene-2,7-disulphonic acid	S	CZ
29096000	328002/2012	di-tert-pentyl peroxide	S	UK
29096000	328394/2012	tert-butyl α,α -dimethylbenzyl peroxide	S	UK
29096000	328474/2012	di-tert-butyl 1,1,4,4-tetramethyltetramethylene diperoxide	S	UK
29096000	328544/2012	40% bis(α,α -dimethylbenzyl) peroxide 60% calcium carbonate	S	UK
29124900	329394/2012	p-Hydroxybenzaldehyde	S	UK
29141990	319987/2012	Calcium acetylacetonate (CAS 19372-44-2)	S	NL
29141990	320012/2012	Zinc acetylacetonate (CAS 14024-63-6)	S	NL
29141990	325989/2012	2,4-pentanedione (CAS 123-54-6)	Q	FR
29142900	328368/2012	[3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	S	UK
29143900	287195/2012	p-Methylacetophenone	S	DE
29143900	320238/2012	Benzil (CAS 134-81-6)	S	NL
29153900	328311/2012	Ethyl acetoacetate	S	UK
29153900	328352/2012	Isopentyl acetate	S	UK
29156019	328330/2012	Ethyl butyrate	S	UK
29159070	287208/2012	2,2-Dimethyl Butyryl Chloride	S	DE
29161200	326628/2012	2-Propenoic acid	S	UK
29163200	327938/2012	OO-tert-butyl O-(2-ethylhexyl) peroxy carbonate	S	UK
29163200	328501/2012	50% bis(2,4-dichlorobenzoyl) peroxide 50% polydimethylsiloxane	S	UK
29163200	328514/2012	75% dibenzoyl peroxide 25% water	S	UK
29163200	328532/2012	20% dibenzoyl peroxide 20% calcium carbonate 60% calcium hydrogen phosphate	S	UK
29163990	305474/2012	m-Toluic acid	S	IT
29163990	305543/2012	(2,4,5-Trifluorophenyl)acetic acid	S	IT

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S ("suspension") = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegnevezés	S/Q*	Kérelmező**
29164000	305455/2012	Barium hydroxide	S	IT
29171910	287214/2012	Diethyl malonate	S	DE
29173995	326402/2012	Isophthalic Acid	S	UK
29182900	326714/2012	Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	S	UK
29182900	327274/2012	Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]	S	UK
29182900	328559/2012	2-(1-(2-hydroxy-3,5-di-tert-pentyl-phenyl)ethyl)-4,6-di-tert-pentylphenyl acrylate	S	UK
29182900	335320/2012	Benzenepropanoic acid, 3,5-bis(1,1-dimethylethylene)-4-hydroxy-, butyl ester	S	FR
29189990	328300/2012	Ethyl 2,3-epoxy-3-phenylbutyrate	S	UK
29199000	329523/2012	Phosphoric acid, octadecyl ester	S	UK
29209085	305446/2012	8-methylnonyl diphenyl phosphite (IUPAC)	S	IT
29209085	305490/2012	Tris(8-methylnonyl) phosphite (IUPAC)	S	IT
29211960	328077/2012	N,N-Diethylaminoethyl chloride hydrochloride	S	UK
29211960	328108/2012	Dimethylaminopropyl chloride hydrochloride	S	UK
29213099	328256/2012	Cyclopropylamine	S	UK
29214200	287298/2012	N-Methylaniline	S	DE
29214200	318053/2012	2,5-Dichloraniline of a purity by weight of 99,5 % or more, and not more than 0,05 % of 2,4-Dichloraniline	S	CZ
29214200	318166/2012	3,4-dichloroaniline-6-sulfonic acid	S	CZ
29214300	318270/2012	6-chloro-alpha,alpha,alpha-trifluoro-m-toluidine	S	CZ
29214400	327296/2012	4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]aniline	S	UK
29214900	287312/2012	4-Isopropylaniline	S	DE
29215990	165772/2012	(2R,5R)-1,6-diphenylhexane-2,5-diamine dihydrochloride	S	ES
29221985	328582/2012	N,n-dihydroxyethylaniline	S	UK
29224985	318249/2012	3-Amino-4-chlorobenzoic acid	S	CZ
29241900	287332/2012	Tetrabutylurea	S	DE
29242998	318202/2012	Methyl 2-amino-4-[[[(2,5-dichlorophenyl)amino]carbonyl]benzoate	S	CZ
29242998	318373/2012	4-amino-N-[4-(aminocarbonyl)phenyl]benzamide	S	CZ
29251995	305509/2012	4,5,6,7-tetrahydroisoindole-1,3-dione	S	IT
29269095	320265/2012	Methyl cyanoacetate (CAS 105-34-0)	S	NL
29269095	327732/2012	Etocrilene	S	UK
29270000	318303/2012	4-[(2,5-dichlorophenyl)azo]-3-hydroxy-2-naphthoic acid	S	CZ

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
29270000	326788/2012	1,1'-Azobisformamide	S	UK
29270000	327972/2012	O-(2-ethylhexyl) O,O-tert-pentyl peroxy carbonate	S	UK
29309099	287350/2012	3-Methoxythiophenol	S	DE
29309099	327327/2012	2,2-bis[[3-(dodecylthio)-1-oxopropoxy]methyl]propane-1,3-diyl bis[3-(dodecylthio)propionate]	S	UK
29319090	320028/2012	Sodium diisobutyldithiophosphinate (CAS 13360-78-6) in an aqueous solution	S	NL
29319090	320393/2012	Tetrabutylphosphonium acetate (CAS 30345-49-4) in an aqueous solution	S	NL
29319090	327705/2012	Tetrakis(2,4-di-tert-butylphenyl) [1,1-biphenyl]-4,4'-diylbisphosphonite	S	UK
29321900	328223/2012	2 Furoyl Chloride	S	UK
29322090	305526/2012	(S)-(-)- α -Amino- γ -butyrolactonehydrobromide	S	IT
29322985	326379/2012	3,3-bis(2-methyl-1-octyl-1H-indol-3-yl)phthalide (Chameleon Red 5)	S	UK
29322985	326582/2012	7-[4-(Diethylamino)-2-ethoxyphenyl]-7-(2-methyl-1-octyl-1H-indol-3-yl)furo[3,4-b]pyridin-5(7H)-one	S	UK
29329900	326503/2012	6'-(Diethylamino)-3-oxo-spiro [isobenzofuran-1(3H),9'-[9H]xanthenes]-2'-carboxylic acid ethyl ester (Chameleon Orange 6)	S	UK
29331990	318027/2012	3-(4,5-dihydro-3-methyl-5-oxo-1H-pyrazol-1-yl)benzenesulfonic acid	S	CZ
29333999	287365/2012	2,3-Dichloropyridine	S	DE
29333999	287387/2012	6-Chloro-3-nitropyridin-2-ylamine	S	DE
29337900	328572/2012	N-ethyl-2-pyrrolidone 99%>	S	UK
29339980	305555/2012	3-(trifluoromethyl)-5,6,7,8-tetrahydro[1,2,4]triazolo[4,3-a]pyrazine hydrochloride (1:1)	S	IT
29339980	318320/2012	1,3-dihydro-5,6-diamino-2H-benzimidazol-2-one	S	CZ
29339980	318407/2012	N-(2,3-dihydro-2-oxo-1H-benzimidazol-5-yl)-3-hydroxynaphthalene-2-carboxamide	S	CZ
29339980	326356/2012	4,4'-[(9-butyl-9H-carbazol-3-yl)methylene]bis[N-methyl-N-phenylaniline (Chameleon Blue 4)	S	UK
29341000	165800/2012	(S)-ethyl 2-(3-((2-isopropylthiazol-4-yl)methyl)-3-methylureido)-4-morpholinobutanoate oxalate	S	ES
29341000	165822/2012	4-nitrophenyl thiazol-5-ylmethyl carbonate	S	ES
29341000	305421/2012	(2-isopropylthiazol-4-yl)-N-methylmethan-amine dihydrochloride	S	IT
29343090	305398/2012	2-methylmercapto phenothiazine	S	IT
29349990	276608/2012	Morpholino Phosphordiamate Oligomeres (Morpholino Oligonukleotides)	S	AT

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S ("suspension") = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
29349990	305585/2012	Beta-alanine, n-[[2-[[[4-(2,5-dihydro-5-oxo-1,2,4-oxadiazol-3-yl)phenyl]amino]methyl]-1-methyl-1h-benzimidazol-5-yl]carbonyl]-n-2-pyridinyl-, ethyl ester	S	IT
29349990	326379/2012	3,3-bis(2-methyl-1-octyl-1H-indol-3-yl)phthalide	S	IT
29350090	305429/2012	n,n-Dimethyl-2-benzyl-(2s)-1-aziridinesulfonamide	S	IT
29389090	326605/2012	Rebaudioside A	S	UK
29420000	327577/2012	Calcium diethyl bis[[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]phosphonate]	S	UK
29420000	328552/2012	Gadolinium Oxide	S	UK
29951995	320086/2012	N,N'-(m-phenylene)dimalimide (CAS 3006-93-7)	S	NL
31025090	287398/2012	Natural sodium nitrate	S	DE
32041100	329485/2012	Pigment dispersion, containing 62.6% Methyl Ethyl Ketone CAS 78-93-3, 22% Carbon Black CAS1333-86-4, 2.2% Dispersing Agent CAS 999993-16-0 & 13.2% of co-polymers containing basic functional groups	S	UK
32041300	287506/2012	Dye C.I. Basic Brown 1, Colour Index Nr. 21000, (CAS RN 10114-58-6)	S	DE
32041300	328273/2012	(2,2'-(3,3'-dioxidobiphenyl-4,4'-diyldiazo)bis(6-(4-(3-(diethylamino)propylamino)-6-(3-(diethylammonio)propylamino)-1,3,5-triazin-2-ylamino)-3-sulfonato-1-naphtholato))dicopper(II) acetate lactate	S	UK
32041700	320206/2012	Dye C.I. Pigment Red 207 (CAS 71819-77-7)	S	NL
32041700	320287/2012	Dye C.I. Pigment Red 166 (CAS 3905-19-9)	S	NL
32041700	326809/2012	Dye C.I. Pigment Blue 61	S	UK
32041700	326832/2012	Dye C.I. Pigment Blue 27	S	UK
32041700	326853/2012	Dye C.I. Pigment Violet 3	S	UK
32041700	326866/2012	Dye C.I. Pigment Yellow 147	S	UK
32041700	326884/2012	Dye C.I. Pigment Yellow 62	S	UK
32041700	326899/2012	Dye C.I. Pigment Red 101	S	UK
32041700	326913/2012	Dye C.I. Disperse Red 343	S	UK
32041700	326934/2012	Dye C.I. Disperse Red HPR	S	UK
32041700	326949/2012	Dye C.I. Solvent Blue 67 with a purity of >98% as determined by high pressure liquid chromatography	S	UK
32041700	326969/2012	Dye C.I. Solvent Red 52 with a purity of >98% as determined by high pressure liquid chromatography	S	UK
32041700	326995/2012	Dye C.I. Solvent Green 3 with a purity of >98% as determined by high pressure liquid chromatography and containing <10 ppm polyaromatic amines	S	UK

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegnevezés	S/Q*	Kérelmező**
32041700	327017/2012	Dye C.I. Solvent Orange 107 with a purity of >98% as determined by high pressure liquid chromatography	S	UK
32041700	327033/2012	Dye C.I. Solvent Red 195 with a purity of >98% as determined by high pressure liquid chromatography	S	UK
32041700	327044/2012	Dye C.I. Solvent Violet 13 with a purity of >98% as determined by high pressure liquid chromatography and containing <150ppm polyaromatic amines	S	UK
32041900	327062/2012	Dye C.I. Solvent Red 135 with a purity of greater than 98.00% as measured by high pressure liquid chromatography, a maximum hexachlorobenzene content of 10ppm and a dispersion viscosity of <10,200cP in mineral oil at 50% w/w for use in liquid masterbatch	S	UK
32041900	327100/2012	Dye C.I. Solvent Violet 59 with a purity of >98.00% as determined by high pressure liquid chromatography and containing <150ppm polyaromatic amines	S	UK
32041900	327121/2012	Dye C.I. Solvent Yellow 179 with a purity of >98.00% as determined by high pressure liquid chromatography	S	UK
32042000	327855/2012	2,2'-(naphthalene-1,4-diyl)bis(benzoxazole)	S	UK
32042000	327881/2012	2,2'-(vinylendi-p-phenylene)bisbenzoxazole	S	UK
32042000	328026/2012	2-[4-[2-[4-(benzoxazol-2-yl)phenyl]vinyl]phenyl]-5-methylbenzoxazole	S	UK
32061100	987419/2011	Preparations containing by weight 80 % or more of titanium dioxide calculated on the dry matter	S/Q	TR,AT
32089091	312663/2012	Preparation of fluorine polymer dissolved in butyl acetate polymer	S	DE
38029090	320235/2012	Soda flux calcinated diatomaceous earth, acid washed, of a kind used for pharmaceutical and/or biochemical purposes (1)	S	NL
38029090	320454/201	Soda flux calcinated diatomaceous earth	Q	NL
38069000	329565/2012	Hydrogenated Rosin Ester obtained from natural gum rosin, chemically modified with an acid value of under 10mg per Kg/KOH.	S	UK
38089190	324635/2012	Spinetoram (ISO)	S	UK
38112100	335288/2012	Petroleum, mono-C16-24 linear saturated alkyl derivatised benzenesulphonic acid calcium salts	S	FR
38112100	335338/2012	Benzene, polypropene derives., sulfonated, calcium salts; with a total base number (TBN) ranging between 280 and 320; and a soap content of 25 to 35 weight percentage (overbased)	S	FR
38112100	335473/2012	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	S	FR
38112100	335773/2012	Formaldehyde polymers with phenol polyisobutylene derivs., reaction products with salicylic acid, calcium salts	S	FR

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
38112100	335788/2012	Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs, product having a chlorine content between 0.05 and 0.25 weight percentage and a total base number (TBN) of more than 20	S	FR
38112900	335281/2012	Sulphur monochloride and sodium sulphides based 1-Propene, 2-methyl-, sulfurized with a chloride content by weight percentage of between 0.05 and 0.5	S	FR
38112900	335304/2012	Reaction products of Benzeneamine, N-phenyl- with nonene (branched)	S	FR
38112900	335383/2012	2-Propenoic acid, butyl ester, reaction products with butadiene, sulphur and triphenyl phosphite	S	FR
38112900	335395/2012	Reaction products of bis(2-methylpentan-2-yl) dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)	S	FR
38112900	335430/2012	Dialkyl amines reaction product with hydroxycarboxylic acid	S	FR
38119000	314105/2012	Solution of a quaternary ammonium salt based on polyisobutenyl succinimide, containing by weight 20% or more but not more than 29,9% 2-ethylhexanol	S	BE
38119000	314149/2012	Solution of a (dimethylamino)methyl-derivative of polyisobutylene phenol, containing by weight 10% or more but not more than 19,9% petroleum naphtha	S	BE
38159090	326561/2012	Manganese-based oxidation catalyst, used to accelerate the rate of chemical oxidation/bleaching in various applications.	S	UK
38249097	305416/2012	Preparation consisting predominantly of glycols: <ul style="list-style-type: none"> • tripropyleneglycol • tetrapropyleneglycol • dipropyleneglycol • pentapropylene glycol 	S	IT
38249097	323483/2012	Nickel hydroxide doped with zinc and cobalt hydroxides (between 12 and 18% according to the references) as a fine green powder. Specific product as a green powder used to make the positive electrodes used in the manufacture of our batteries	S	FR
38249097	326423/2012	Mixture of: 3,3-bis(2-methyl-1-octyl-1H-indol-3-yl)phthalide & 6'-(Diethylamino)-3-oxo-spiro [isobenzofuran-1(3H),9'-[9H]xanthenes]-2'-carboxylic acid ethyl ester (Chameleon Red 7 - mixture of Red 5 and Orange 7)	S	UK
38249097	326534/2012	Magnetorheological fluid preparation	S	UK

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
38249097	327649/2012	Anti-oxidant based on a mixture of 50% tris(2,4-ditert-butylphenyl) phosphite 50%N,N'-hexane-1,6-diylbis[3-(3,5-di-tert-butyl-4-hydroxyphenylpropionamide]	S	UK
38249097	329365/2012	Dipentaerythritol hexaacrylate, with multi-functional acrylate ester, with a viscosity between 3500-7000cps	S	UK
39023000	326444/2012	Propylene-ethylene copolymer, with a melt viscosity of not more than 1,700 mPa at 190° C, as determined by the ASTM D 3236 method	S	UK
39039090 39119099	320064/2012	Copolymers of α -methylstyrene and styrene, with a softening point of more than 113 °C	S	NL
39046980	305325/2012	Copolymer of ethylene with chlorotrifluoroethylene,, in some cases modified with hexafluorisobutylene, in primary form (powder) either as is or as formulation (physical mix) with fillers	S	IT
39069090	313571/2012	Super absorbent polymer with below concentration range: - 2-propenoic acid, homopolymer, sodium salt, neutrelized, cross-linked more than % 95 - Water less than % 5	Q	TR
39072011	326753/2012	PEG-30 dipolyhydroxystearate	S	UK
39072099	323377/2012	Glycerol polyglycidyl ether obtained by condensation of epichlorohydrin with glycerol (2,3 epoxypropane 1-chloro)	S	FR
39076080	326651/2012	Flexible packages for oxygen sensitive polymers	S	UK
39079990	320049/2012	Copolymer, consisting of 72 % by weight or more of terephthalic acid and/or isomers thereof and cyclohexanedimethanol	S	NL
39089000	326291/2012	Random copolymer consisting of: <ul style="list-style-type: none"> • hexanedioic acid • 12-aminododecanoic acid • hexahydro-2H-azepin-2-one, and • 1,6-hexanediamine 	S	UK
39094000	323392/2012	Mixture: - Resin obtained by condensation of alkyl phenol and formaldehyde - Zinc oxide	S	FR
39111000	329572/2012	Non-hydrogenated Hydrocarbon Resin of a purity of 99% or more, obtained by polymerisation of C5 alkenes, with a Gardner Color of less than 5.	S	UK
39119099	326364/2012	1,4-methano-1H-fluorene, 4,4a,9,9a-tetrahydro-, polymer with 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene, hydrogenated	S	IE

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
39119099	326385/2012	1,4-methano-1H-fluorene, 4,4a,9,9a-tetrahydro-, polymer with 1,2,3,4,4a,5,8,8a- octahydro-1,4:5,8-dimethanonaphthalene and 3a,4,7,7a-tetrahydro-4,7-methano-1H-indene, hydrogenated	S	IE
39162000	320221/2012	Profiles of poly(vinyl chloride) in unfinished form, containing calcium carbonate, of a kind used for facade covering	S	NL
39201040	314174/2012	A co-extruded seven to nine layered film predominately of copolymers of ethylene or functionalized polymers of ethylene, consisting of: <ul style="list-style-type: none"> • a tri-layer barrier with a core layer predominantly of ethylene vinyl alcohol covered on either side with a layer predominantly of cyclic olefin polymers, • covered on either side with two or more layers of polymeric material, and having an overall total thickness of not more than 110 µm	S	BE
39202029 39202080	314196/2012	A co-extruded seven to nine layered film predominately of copolymers of propylene, consisting of: <ul style="list-style-type: none"> • a tri-layer barrier with a core layer predominantly of ethylene vinyl alcohol covered on either side with a layer predominantly of cyclic olefin polymers, • covered on either side with two or more layers of polymeric material, and having an overall total thickness of not more than 110 µm	S	BE
54021900	326003/2012	Polyamide yarn 6-6 of 140 tex, with base monomers adipic acid with 6 carbons and hexamethylene diamine with 6 carbons, consisting of multifilaments, a breaking strength greater than 11 daN, for manufacturing, in tire industry, of: <ul style="list-style-type: none"> - cord fabric impregnated with rubber (59.02.10.10) or <ul style="list-style-type: none"> - impregnated twisted yarn (56.04.90.10) 	Q	FR
54022000	326015/2012	High Modulus Low Shrinkage (HMLS) polyester yarn of 144 and 220 tex, with base monomers terephthalic acid and ethylene glycol, comprising multifilaments, a breaking strength greater than 7 daN for manufacturing, for of the tire industry, of: <ul style="list-style-type: none"> - cord fabric impregnated with rubber (59.02.20.10) or <ul style="list-style-type: none"> - twisted yarn impregnated with rubber (56.04.90.10) 	Q	FR

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
69149000	305566/2012	Ceramic Ring with rectangular transversal section having an external diameter $\geq 19,00\text{mm}$ ($+0,00/-0,10\text{mm}$) but $< 29,00\text{mm}$ ($+0,00/-0,20\text{mm}$), an internal diameter $\geq 10,00\text{mm}$ ($+0,00/-0,20\text{mm}$) but $< 19,00\text{mm}$ ($+0,00/-0,30\text{mm}$) a with a thickness variable from $2,00\text{mm}$ ($\pm 0,10\text{mm}$) to $3,70\text{mm}$ ($\pm 0,20\text{mm}$), with an heat resistance $\geq 240\text{ }^\circ\text{C}$, containing in weight 90% of Aluminium Oxide (Al_2O_3), • 7% of Titanium Oxide (TiO_2) , • 3% of other substances	S	IT
70191200	323336/2012	Rovings (roving) grading from 1980 to 2033 TEX, composed of continuous glass filaments of 9 microns	S	FR
70191910	323435/2012	Rovings of 33 tex or multiple of 33 tex ($\pm 10\%$), obtained from continuous glass filaments whose fibres have a diameter of $6\text{ }\mu\text{m}$ ($\pm 0,5\text{ }\mu\text{m}$)	S	FR
70191910	323461/2012	Rovings of 33 tex or multiple of 33 tex ($\pm 13\%$), obtained from continuous glass filaments whose fibers have a diameter of $9\text{ }\mu\text{m}$ ($-1\text{ }\mu\text{m} / +1,5\text{ }\mu\text{m}$)	S	FR
76061292	318439/2012	Four-layer aluminium strip of a thickness 1.6 mm, made of aluminium alloys ensuring corrosion resistance and containing solder for working of the strip by the controlled atmosphere aluminium brazing technology	S	CZ
81021000	276628/2012	Molybdenum powder with - a purity by weight of 99 % or more and - a particle size of $1,0\text{ }\mu\text{m}$ or more, but not more than $5,0\text{ }\mu\text{m}$	S	AT
81029400	287452/2012	Unwrought molybdenum, including bars obtained simply by sintering (bars), for use as an alloying element in furnaces in the production of nickel-and cobalt-based alloys and special stainless steels	S	DE
81029500	287460/2012	Molybdenum and articles thereof, including waste and scrap: Rods (rods), excluding sintered only, profiles, sheets, strip and foil, for use as an alloying element in furnaces in the production of nickel-and cobalt-based alloys and special stainless steels	S	DE
81029600	287475/2012	Molybdenum and articles thereof, including waste and scrap: Wire for use as an alloying element in furnaces in the production of nickel-and cobalt-based alloys and special stainless steels	S	DE

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegnevezés	S/Q*	Kérelmező**
81029900	287495/2012	Molybdenum and articles thereof, including waste and scrap: forms other than the unwrought molybdenum, molybdenum rods (rods) or molybdenum wire for use as an alloying element in furnaces in the production of nickel-and cobalt-based alloys and special stainless steels	S	DE
81089050	312512/2012	Plates, coils, and foils of non-alloyed titanium Grade 1	S	DK
82073010	317291/2012	Set of press tools for manufacture of goods of heading 8708 (1)	S	SK
84089047	329537/2012	4 cylinder, 4 cycle, liquid cooled, compression-ignition engine having a capacity not exceeding 3850 cm ³ with a rated output up to 55kW, for use in the manufacture of vehicles of heading 8427	S	UK
84119900	311397/2012	Wheel-shaped gas turbine component with blades <ul style="list-style-type: none"> - made of precision-cast stainless alloy complying with standard DIN G-NiCr13Al16MoNb or DIN NiCo10W10Cr9AlTi or AMS AISI:686 and having a heat-resistance up to 1100°C; - with a diameter of 30 mm or more, but not more than 80 mm; with a height of 30 mm or more, but not more than 50 mm	S	HU
84149000	311410/2012	Spiral-shaped compressor housing <ul style="list-style-type: none"> - made of precision-cast aluminium complying with standard EN AC-46200; - with a diameter of 150 mm or more, but not more than 250 mm; - with a height of 100 mm or more, but not more than 200 mm; - with overall dimensions: 400mm × 200mm × 250mm 	S	HU
84159000	969088/2011	Display printed circuit board assembly, whether in a plastic enclosure or not, with: a printed circuit board, <ul style="list-style-type: none"> - an IR (infrared) receiver, - not more than 5 LEDs, - a seven-segment type LED display or not, - a length of maximum 200 mm (± 1,0mm), - a width of maximum 40mm (±1,0mm), for use in the manufacture of indoor units of split-type air conditioning machines (1)	S	TR
84818069	314220/2012	Four-way reversing valve for refrigerants, consisting of <ul style="list-style-type: none"> - a solenoid pilot valve - a main valve body including valve slider with a working pressure up to 4.5MPa	S	BE

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
84833038	311427/2012	Cylindrical bearing housing with oil chambers - made of precision-cast stainless metal alloy complying with standard DIN EN 1561; - with a diameter of 60 mm or more, but not more than 180 mm; - with a height of 60 mm or more, but not more than 120 mm; - whether or not with water chambers and connectors	S	HU
84842000	305576/2012	Mechanical Seal with opposite sliding rings for rotating shafts	S	IT
85013100	313124/2012	Direct current (DC) brushless motors for the use in the column electric assisted power steering systems for cars, equipped with the motor angle position sensor (resolver type or hall effect type), with following parameters: • External diameter: from 80 to 100 mm • Voltage: 12 V • Output at the temperature of 20 degrees of Celsius: from 300 to 550 W • Torque at the temperature of 20 degrees of Celsius: from 2.90 to 5.30 Nm Rotation speed at the temperature of 20 degrees of Celsius: from 600 to 1200 rpm	S	PL
85043121	284278/2012	Power converter with an output of 100W or less, for use in set-top boxes and televisions, without integrated power supply unit contained in the package of the corresponding device (not for retail sale)	S	DE
85043180	276639/2012	Transformer in a housing with - a rated power of not more than 30 W - an input voltage of 90 V or more, but not more than 305 V - an input frequency of 47 Hz or more, but not more than 63 Hz - a constant current output of 350 mA or more, but not more than 1.050 mA - an inrush current of not more than 10 A - an operating temperature range of -20 °C or more, but not more than +65 °C, - suitable for driving of 1 or more, but not more than 30 high brightness LEDs	S	AT
85043180	284392/2012	Electrical transformers with a capacity of 1 kVA or less, for use in the manufacture of set top boxes and TVs	S	DE
85044082	317210/2012	Power supply boards for use in the manufacture of televisions with a bridge rectifier circuit and other active and passive components, with an input frequency of 47 - 63 Hz for 90 - 264V version, with an output current reaching zero after 30ms after removal of the input voltage at 90Vac/50Hz, typical load and with an input frequency of 47 - 63 Hz for 90 - 264V version	S	SK

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegnevezés	S/Q*	Kérelmező**
85045095	314248/2012	Solenoid coil with — a power consumption of less than 6W — an insulation resistance of more than 100M ohms — an insert hole between 11.4 and 11.8 mm	S	BE
85051100	312685/2012	Ring magnets made of an alloy of neodymium, iron and boron in the form of rodlets, • a diameter of not more than 45 mm and • a height of not more than 45 mm and • a radial magnetization orientation	S	DE
85051100	312921/2012	Articles intended to become permanent magnets after magnetization, made of rare earth metals containing neodymium, designed for small motors in industrial automation	S	PL
85059020	327222/2012	Security tag using acoustic-magnetic technology	S	UK
85059020	327251/2012	Security label using acoustic-magnetic technology	S	UK
85076000	284463/2012	Cylindrical lithium-ion battery, with: • an area that at its bottom resembles a compressed ellipse, • a length of 50 mm or more (without connectors) • a width of 33.5 mm or more, • a thickness of 9.9 mm or more, • a nominal capacity of 1.75 Ah or more, and • a nominal power of 3.7 V, for use in the manufacture of rechargeable batteries	S	DE
85076000	284509/2012	Lithium-ion rechargeable battery, in the form of a cuboid: • partially rounded corners, • a length of 76.9 mm or more (without connections) • a width of 54.5 mm or more, • a thickness of 5.2 mm or more, • a nominal capacity of 3100 mAh or more, and • a nominal voltage of 3.7 V, manufacture of rechargeable batteries	S	DE

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
85076000	323539/2012	Batteries of ion-lithium electric accumulators rechargeable with the following characteristics: <ul style="list-style-type: none"> - Length from 1203 mm to 1297 mm - Width from 282 mm to 772 mm - Height from 792 mm to 839 mm - Weight from 260 kg to 293 kg - Power of 22 kWh or 26 kWh - Constituted of 24 or 48 modules 	S	FR
85076000	323555/2012	Modules for the assembly of batteries of ion lithium electric accumulators with the following characteristics: <ul style="list-style-type: none"> - Length from 298 mm to 408 mm - Width from 33,5 mm to 209 mm - Height from 138 mm to 228 mm - Weight from 3,6 kg to 17 kg - Power from 458 kWh to 2158 kWh 	S	FR
85182995	313099/2012	Loudspeakers of a impedance 4 Ohm, 8 Ohm or 16 Ohm, having a nominal power consumption rate range of 2 Watt to 20 Watt, with or without plastic bracket, with or without cable fitted with connector, of a kind used for TV sets and video monitors manufacture	S	PL
85258019	329436/2012	Multiplying CCD camera featuring active electron multiplication (EM) gain protection, with either 512 x 512 or 1024 x 1024 pixel resolution, of a kind used in ultra-low light fluorescence imaging equipment	S	UK
85285910	327174/2012	Medical monitors using liquid crystal display technology, with a diagonal measurement of the screen not exceeding 30", a resolution exceeding 1200x1020 and aspect ratios of 1:1, 4:3, 5:4, 16:9 and 16:10	S	UK
85285940	311373/2012	Touch screen monitor made by using liquid crystal display (LCD) technology with an aspect ratio of 5:4, whose: <ul style="list-style-type: none"> - diagonal measurement of the screen is 31 cm (+-10mm) and its resolution is 800x600 pixels, or - diagonal measurement of the screen is 38 cm (+-10mm) and its resolution is 1024x768 pixels, for use in the manufacture of cash registers	S	HU

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S ("suspension") = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q *	Kérelmező **
85285940	327145/2012	Medical monitors using liquid crystal display technology, with a diagonal measurement of the screen not exceeding 30", a resolution exceeding 1200x1020 and aspect ratios of 1:1, 4:3, 5:4, 16:9 and 16:10	S	UK
85285940	327188/2012	Medical monitors using liquid crystal display technology, with a diagonal measurement of the screen exceeding 30", a resolution exceeding 2560x1440 and aspect ratios from 16:9 to 17:9.	S	UK
85285940	327207/2012	Monitors using liquid crystal display technology, with a diagonal measurement of the screen exceeding 30", a resolution exceeding 2560x1440 and aspect ratios from 16:9 to 17:9.	S	UK
85287240	329339/2012	Main printed circuit board for an LCD television, comprising active and passive elements and incorporating a tuner	S	UK
85299065	317217/2012	Electronic assemblies used solely or principally for the monitors, without TV tuner, the task of processing the input signals and control all display functions with input signal PC RGB (D-SUB), PC DVI (DVI-D), HDMI, Display Port, output signal LVDS (HD/FHD) and power input connector +5,3V st-by, +5V, +15V, +18V	S	SK
85299065	326406/2012	Printed Circuit Board assembly comprising of a microprocessor, power supply, memory circuitry, audio/video circuitry and receiver ICs	S	IE
85299065	326430/2012	Printed Circuit Board assembly comprising the following components: - DSP Board - Power Supply - Audio Processing Circuits - Video Processing Circuits	S	IE
85299065	329353/2012	Printed circuit board for an LCD television, comprising active and passive elements not incorporating a tuner	S	UK
85366990	283697/2012	Plugs and sockets for electrical apparatus for switching or protecting electrical circuits, for a voltage not exceeding 1000 V	S	DE
85371091	317309/2012	The electronic control unit is operating at a voltage of 13.5 V, for use in automotive production, processes and it evaluates: • speed, • engine speed, • fuel, • status lights and so on, manages and controls the lights on the car dashboard	S	SK

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S ("suspension") = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
85394100	329409/2012	Xenon lamp with a transmission wavelength of 160 nm or more but not exceeding 2500 nm with or without a power supply and featuring long life time with a guaranteed minimum operating life in excess of 2000 hours, of a kind used in spectrophotometry equipment	S	UK
85394100	329445/2012	Xenon flash lamp and xenon flash lamp module, with a transmission wavelength of 160 nm or more but not exceeding 3000 nm, designed specifically for use in scientific instrumentation and featuring high flash stability of better than 2 %	S	UK
85394100	329460/2012	Deuterium lamp with a spectral distribution of 115 nm or more, but not exceeding 400 nm, featuring long life time of typically 4000 hours with a guaranteed minimum life time of 2000 hours, of a kind used in spectrophotometry equipment	S	UK
85402080	329428/2012	Photo sensor module containing either a multialkali or bialkali or semi-conductor photocathode, with an active area size diameter of no more than 25 mm and a wavelength of 160 nm or more but not exceeding 1000 nm, and a weight not exceeding 225 g, of a kind used for scientific instrumentation	S	UK
85402080	329472/2012	Image Intensifier, specifically developed for scientific imaging and measurement, with a spectral response range of 115 nm or more, up to a maximum of 1100 nm, with an effective photocathode area not exceeding 25 mm diameter, and with the ability of gated operation	S	UK
85437090	284255/2012	Fuel cell system: - consisting at least of phosphoric acid fuel cells (type: PAFC) - in a housing with integrated water management and gas processing - for permanent, stationary energy supply	S	DE
85444290 85444995 85444993	283910/2012	Coaxial cable and other insulated electric conductors or cables, whether or not fitted with connectors, for a voltage not exceeding 1 000 V for use in the manufacture of set-top boxes and television sets.	S	DE
85489090	312935/2012	Ferrite core or ferrite bead used to suppress high frequency noise in electronic circuits, built on core of a ferromagnetic material, with or without plastic enclosure, for fixing on an electrical cables or on a printed circuit boards	S	PL
87082990	317266/2012	Pressed mono parts made of basic metals used as parts and components of motor vehicles bodies of headings 8701 to 8705	S	SK

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q*	Kérelmező**
90021900	276652/2012	Objectives - measuring not more than 80 mm x 55 mm x 50 mm - with a resolution of 160 lines/mm or better and - with a zoom ratio of 18 times [of a kind used for the production of visualizers or live image cameras]	S	AT
90021900	276671/2012	Objectives - measuring not more than 180 mm × 100 mm × 100 mm at a maximum focal length of more than 200mm - with a resolution of 130 lines/mm or better and - with a zoom ratio of 18 times [of a kind used for the production of visualizers or live image cameras]	S	AT
90021900	276681/2012	Objectives - measuring not more than 125 mm × 65 mm × 65 mm - with a resolution of 125 lines/mm or better and - with a zoom ratio of 16 times [of a kind used for the production of visualizers or live image cameras]	S	AT
90021900	276699/2012	Lighting-Objectives - measuring not more than 180 mm × 100 mm × 100 mm at a maximum focal length of more than 200mm - with an etendue of 7 steradian mm ² or better and - with a zoom ratio of 16 times [of a kind used for the production of visualizers or live image cameras]	S	AT
90138090	329420/2012	Liquid crystal on silicon spatial light modulator with a digital video interface and a readout wavelength 400 nm or more but not exceeding 1550 nm and featuring > 75 % light utilisation efficiency and >95 % fill factor, of a kind used in optical beam shaping and medical equipment	S	UK
90291000	284544/2012	Apparatus for measuring the wheel rpm in the form of a differential Hall sensor with integrated permanent magnets, consisting of: • a monolithic integrated circuit in a housing and • one or more of the integrated circuit connected in parallel, discrete capacitors in surface mount package, for installation in motor vehicles	S	DE

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/Q *	Kérelmező **
84159000 85371099	969048/2011	<p>Main Printed Circuit Board assembly, with:</p> <ul style="list-style-type: none"> - a microcontroller, - varistors with rated voltage of 470V or more, but not more than 620V, - X2 type capacitors with rated voltage of 250V or 275V, - a crystal oscillator of 4MHz or more, but not more than 16MHz, - a glass or ceramic type fuse with an amperage of 3,15A, 15A or 20A, - a 12 V DC relay or not, - a noise filter transformer or not, - an SMPS transformer or not, - a buzzer or not, - dimensions of 120mm (± 1,0mm) x 93mm (± 1,0mm) or more, but not more than 265mm (± 1,0mm) x 122mm (± 1,0mm), <p>for use in the manufacture of indoor or outdoor units of split-type air conditioning machines (1)</p>	S	TR

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

2. Létező vámfelfüggesztésekre, vagy vámkontingensekre vonatkozó módosítási vagy törlési kérelmek

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegnevezés	S/ Q*	Megjegyzés
2008939120	247889/2009	Sweetened dried cranberries, excluding packing alone as processing, for the manufacture of products of food processing industries (4)	S	A Bizottság kezdeményezése alapján vizsgálják a vámfelfüggesztés használatával kapcsolatos tapasztalatokat az áruleírás esetleges módosítása céljából
2009493091	1194/2009	Pineapple juice, other than in powder form: with a Brix value of more than 20 but not more than 67, —a value of more than EUR 30 per 100 kg net weight, —containing added sugars, used in the manufacture of products of food - or drink industry (1)	S	AT kéri a vámfelfüggesztés módosítását (ld. kivastagított szövegrészt)
2710112510	759/05	Mixture of isomers 2,4,4-trimethylpent-1-ene and 2,4,4-trimethylpent-2-ene	S	DE kéri a vámfelfüggesztés törlését
2811220040	272633/2011	Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide	Q	DE kéri a vámfelfüggesztés törlését
2823000010	294577/2011	Titanium dioxide with a purity by weight of 99 % or more, (CAS RN 13463-67-7)	S	FI, FR, DE kéri a vámfelfüggesztés törlését
2914390020	1012/07	Stearoyl benzoyl methane	S	FR kéri a vámfelfüggesztés törlését
2914390040	1014/07	1,3-Diphenylpropane-1,3-dione	S	FR kéri a vámfelfüggesztés törlését
2917399540	598234/2010	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride	S	IT kéri a vámfelfüggesztés törlését
2918230010	300464/2011	Benzyl salicylate (CAS RN 118-58-1)	S	UK kéri a vámfelfüggesztés törlését
2924299835	620456/2010	2'-Methoxyacetoacetanilid (CAS RN 92-15-9)	S	DE kéri a vámfelfüggesztés törlését

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/ Q*	Megjegyzés
2932990060	168795/2010	(3aR,5aS,9aS,9bR)-3a,6,6,9a-Tetramethyl-2,4,5,5a,7,8,9,9b-octahydro-1H-benzo[e][1]benzofuran, (CAS RN 6790-58-5)	S	ES kéri a vámfelfüggesztés törlését
2933698035	312268	1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, compound with 1,3,5-triazine- 2,4,6-triamine (1:1) (CAS RN 37640-57-6)	S	IT kéri a vámfelfüggesztés törlését
2933998073	1235/2008	5-(Acetoacetyl amino)benzimidazolone (CAS RN 26576-46-5)	S	DE kéri a vámfelfüggesztés törlését
3204170075	330653/2011	2-Naphthalenecarboxamide,4-[2-(2,5-dichlorophenyl) diazenyl]-3hydroxy-N-phenyl- (C. I. Pigment RED 2), CAS RN 6041-94-7	S	CZ kéri a vámfelfüggesztés törlését
3206110020	265477/2011	Rutile titanium dioxide, containing by weight: —90 % or more of titanium dioxide —not more than 4 % of aluminium hydroxide, —not more than 6 % of silicon dioxide	S	DE kéri a vámfelfüggesztés törlését
3905999091	167199/2010	Polyvinyl butyral	Q	DE kéri a 09.2640 rendelésszámú vámkontingens törlését
3909400020	578476/2010	Powder of thermosetting resin in which magnetic particles have been evenly distributed, for use in the manufacture of toner bottles for photocopiers, fax machines, printers and multifunction devices (1)	S	PL felülvizsgálati kérelem a „toner bottles” (festékflakonok) kifejezés pontosítása céljából
3911100081	1204/2008	Non-hydrogenated Hydrocarbon Resin, obtained by polymerisation of C-5 to C-10 alkenes, cyclopentadiene and dicyclopentadiene and aromatic olefins , with a Gardner Colour of more than 10 for the pure product or with a Gardner Colour of more than 8 for the 50 % solution by volume in toluene (as determined by the ASTM method D6166)	S	BE kéri a vámfelfüggesztés módosítását (ld. kivastagított szövegrészt).
3919900026	254103/2009	Ethylene vinyl acetate film - of a thickness of 100 µm or more - coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester liner	S	AT kettős áruosztályozást javasol. A másodiknak javasolt vtsz: 39191080
3919900028	254166/2009 253870/2009	Poly (vinyl chloride) or polyethylene or any other polyolefine film: - of a thickness of 65 µm or more, - coated on one side with an acrylic UV-sensitive adhesive and a polyester liner	S	AT kettős áruosztályozást javasol. A másodiknak javasolt vtsz: 39191080

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegnevezés	S/ Q*	Megjegyzés
392051000		Poly(methyl methacrylate) plate, with an antistatic coating, of dimensions of 738 mm × 972 mm (± 1,5 mm)	S	DE kéri a vámfelfüggesztés törlését
3920910094	1310/2008	Co-extruded trilayer poly(vinyl butyral) film without a graduated colour band containing by weight 29 % or more but not more than 31 % of 2,2'-ethylenedioxydiethyl bis(2-ethylhexanoate) as a plasticiser	Q	DE kéri a 09.2813 rendelésszámú vámkontingens törlését
5603111020 5603119020	283/13/1996	Nonwovens, not weighing more than 20 g/m ² , containing spunbonded and meltblown filaments put together in a sandwich way with the two outer layers containing fine endless filaments (not less than 10 µm but not more than 20 µm in diameter) and the inner layer containing super-fine endless filaments (not less than 1 µm but not more than 5 µm in diameter), for the manufacture of napkins and napkin liners for babies and similar sanitary napkins (1)	S	TR a vámfelfüggesztés törlését kéri
5603129050	283/13/1996	Non-woven: —weighing 30g/m ² or more, but not more than 60g/m ² , —containing fibres of polypropylene or of polypropylene and polyethylene, —whether or not printed, with: —on one side, 65 % of the total surface area having circular bobbles of 4mm in diameter, consisting of anchored, elevated un-bonded curly fibres, suitable for the engagement of extruded hook materials, and the remaining 35 % of the surface area being bonded, —and on other side a smooth untextured surface, for use in the manufacture of napkins and napkin liners for babies and similar sanitary articles (1)	S	TR a vámfelfüggesztés törlését kéri
5603129070 5603139070 5603929040 5603939010	484/5/1983	Non-wovens of polypropylene: —with a melt blown layer, laminated on each side with spun-bonded filaments of polypropylene, —with a thickness of not more than 550 µm —with a weight of not more than 150 g/m ² , —in the piece, or simply cut into squares or rectangles, and —not impregnated	S	UK kéri a vámfelfüggesztés módosítását (ld. kihúzott szövegrész)

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/ Q*	Megjegyzés
5603929070 5603949040	1316/6/2003	Non-wovens, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene, of a total thickness of not more than 50 mm	S	UK kéri a vámfelfüggesztés módosítását (ld. kihúzott szövegrész)
5603929080 5603939050	264348/2011	Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments: —of a thickness of not more than 550 µm, —a weight of 25 g/m ² or more but not more than 150 g/m ² , —in the piece or simply cut into squares or rectangles, —not impregnated, —with cross-directional or machine-directional stretch properties, for use in the manufacture of infant/child care products (1)	S	TR a vámfelfüggesztés törlését kéri
5603929080 5603939050	264348/2011	Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments: —of a thickness of not more than 550 µm, —a weight of 25 g/m ² or more but not more than 150 g/m ² , —in the piece or simply cut into squares or rectangles, —not impregnated, —with cross-directional or machine-directional stretch properties, for use in the manufacture of infant/child care products (1)	S	UK kéri a vámfelfüggesztés módosítását (ld. kihúzott szövegrész)
7019520010		Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m ² (± 10 m ²), of a type used in rolling insect screens with fixed frames	Q	A 09.2628 rendelésszámú vámkontingens mennyiségének növelése iránti kérelem (3.000.000 m ² -re)

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/ Q*	Megjegyzés
8407330010 8407908010 8407909010		Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm ³ and a power of not less than 6 kW but not exceeding 20,0 kW, for the manufacture of: —self-propelled lawn mowers, with a seat of subheading 8433 11 51, and hand-operated lawn mowers of heading 8433 11 90 —tractors of subheading 8701 90 11, whose main function is that of a lawn mower, —four stroke mowers with motor of a cylinder capacity of not less than 300 cc of subheading 8433 20 10 or —snowploughs and snow blowers of subheading 8430 20	S	DE kéri a vámfelfüggesztés módosítását (ld. kivastagított szövegrészt).
8501330030 8501408050 8501535010	160472/2010	Electric drive for motor vehicles, with an output of not more than 315 kW, with: - an AC or DC motor whether or not with transmission, - power electronics	S	AT kéri a vámfelfüggesztés módosítását (ld. kivastagított szövegrészt).
8505110033	2520/3/2004	Permanent magnets consisting of an alloy of neodymium, iron and boron, either in the shape of a rounded rectangle with measurements of not more than 15 mm × 10 mm × 2 mm, or in the shape of a disc with a diameter of not more than 90 mm, whether or not containing a hole in the centre.	S	PL kéri a vámfelfüggesztés módosítását (ld. kivastagított szövegrészt).
8528594020	1326/1/2000	Liquid crystal display colour video monitor having a DC input voltage of 7 V or more but not more than 30 V, with a diagonal measurement of the screen of 33,2 cm or less, suitable for the incorporation into goods of Chapters 84 to 90 and 94	S	A Bizottság kezdeményezte a vámfelfüggesztés felülvizsgálatát a termék lehetséges felhasználási módjának pontosítása céljából.

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

KN kód	TAXUD hivatkozási szám	Angol nyelvű árumegevezés	S/ Q*	Megjegyzés
8529909244	837/2005	<p>“LCD modules, solely consisting of one or more TFT glass or plastic cells, not combined with touch screen facilities, with or without backlight unit, with or without inverters and one or more printed circuit boards one or more printed circuits with control electronics for pixel addressing only”</p> <p>vagy</p> <p>“LCD modules, solely consisting of one or more TFT glass or plastic cells, not combined with touch screen facilities, with or without backlight unit, with or without inverters and one or more printed circuit boards one or more printed or integrated circuits with control electronics for pixel addressing only”</p>	S	PL kéri a vámfelfüggesztés módosítását (ld. kivastagított szövegrészt). A módosítási javaslat két verzióban érkezett.
8529909247	1214/2009	Area image sensors ("progressive scan" Interline CCD or CMOS -Sensor) for digital video cameras in the form of an analogue or digital , monolithic integrated circuit with pixels of not more than 12 µm × 12 µm , in a housing with a viewing panel, monochromic with lenslets (micro lens array) mounted on each individual pixel, or polychromic with a colour filter, whether or not with a lenslet (micro lens array) array with one lenslet mounted on each individual pixel	S	DE kéri a vámfelfüggesztés módosítását (ld. kivastagított szövegrészt)
8544429010	1149/2008	Data transmission cable capable of a bit rate transmission of 600 Mbit/s or more, with: — a voltage of 1,25 V (± 0,25 V) — connectors fitted at one or both ends, at least one of which contains pins with a pitch to 1 mm , — outer screening shielding, used solely for communication between LCD, PDP or OLED panel and video processing electronic circuits	S	PL kéri a vámfelfüggesztés módosítását (ld. kivastagított szövegrészt)

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S (“suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.

3. Vámfelfüggesztés meghosszabbítása iránti kérelmek

KN kód	Angol nyelvű árumegnevezés	Hosszabbítási kérelmet benyújtó tagállam**
ex 2008 60 19 30	Sweet cherries containing added spirit, whether or not with a sugar content of 9 % by weight, of a diameter of not more than 19,9 mm, with stone, for use in chocolate products(1)	IT
ex 2850 00 20 30	Titanium nitride with a particle size of not more than 250 nm, (CAS RN 25583-20-4)	UK
ex 2914 19 90 30	3-Methylbutanone (CAS RN 563-80-4)	NL
ex 2914 19 90 40	Pentan-2-one (CAS RN 108-10-1)	NL
ex 2914 50 00 70	16 α ,17 α -Epoxy-3 β -hydroxypregn-5-en-20-one, (CAS RN 974-23-2)	IT
ex 2930 90 99 71	Triphenylsulphonium chloride (CAS RN 4270-70-6)	IT
ex 2930 90 99 83	Methyl- <i>p</i> -tolyl sulphone (CAS RN 3185-99-7)	DE
ex 2933 79 00 30	5-Vinyl-2-pyrrolidone (CAS RN 7529-16-0)	DE
ex 2934 99 90 74	2-Isopropylthioxanthone (CAS RN 5495-84-1)	DE
ex 3204 15 00 10	Dye C.I. Vat Orange 7 (C.I. Pigment Orange 43)	UK
ex 3204 17 00 30	Dye C.I. Pigment Yellow 97	UK
ex 3815 90 90 85	Catalyst based on aluminosilicate (zeolite), for the alkylation of aromatic hydrocarbons, for the transalkylation of alkylaromatic hydrocarbons or for the oligomerization of olefins(1)	UK
ex 3824 90 97 70	Paste containing by weight 75 % or more, but not more than 85 % of copper, and also containing inorganic oxides, ethyl cellulose and a solvent	AT
ex 3920 79 90 10	Cellulose acetyl butyrate film, whether or not combined with a polycarbonate layer, of a thickness of not more than 0,81 mm containing a micro-louvre with a typical viewing angle of 30 degrees measured on each side of the surface normal	IT
ex 3920 92 00 30	Polyamide film of a thickness of not more than 20 μ m, coated on both sides with a gas barrier layer which consists of a polymeric matrix in which silica has been dispersed and of a thickness of not more than 2 μ m	IT

**/ A listákban szereplő országkódok jelentése: AT = Ausztria, BG = Bulgária, BE = Belgium, CZ = Csehország, DE = Németország, DK = Dánia, ES = Spanyolország, FI = Finnország, FR = Franciaország, HU = Magyarország, IE = Írország, IT = Olaszország, NL = Hollandia, PL = Lengyelország, SK = Szlovákia, UK = Egyesült Királyság (Nagy-Britannia), TR = Törökország

*/ A kérelem vámkontingensre vagy vámfelfüggesztésre irányul? S („suspension”) = vámfelfüggesztés; Q („quota”) = vámkontingens

**/A kérelmező tagállam, illetve vámuniós partner megjelölése. A kódok magyarázatát ld. az utolsó oldalon.